View metadata, citation and similar papers at core.ac.uk

brought to you by CORE

provided by National Institute of Polar Research Repository

CONTENTS

Abstract 1
1. Introduction 3
  1.1. General introduction 3
  1.2. Historical background on ELF-VLF emission study 4
  1.3. Historical background on quasi-periodic ELF-VLF emission study 5
2. Instrumentation and Observations 7
  2.1. Outlines of observation system 7
    2.1.1. Observation period from February 1974 to January 1975 7
    2.1.2. Observation period from September 1976 to September 1977 8
    2.1.3. Observation period from July 29, 1977 to September 18, 1977 at geomagnetic conjugate-pair stations 8
  2.2. The device for finding the arrival directions of waves 10
    2.2.1. Detection of the wide-band VLF signal 11
    2.2.2. Direction analyzer 13
3. General Properties of QP Emissons 14
  3.1. Diurnal variation of QP occurrences 17
  3.2. Diurnal variation of QP periods 17
  3.3. Diurnal variation of emission occurrences 19
  3.4. *Kp* dependence of QP occurrences 20
4. Classification of QP Emissions Based on Frequency-Time (*f*-*t*) Spectra 22
  4.1. Classification of QP emissions 22
  4.2. Characteristics of each type of QP emissions 24
    4.2.1. Characteristics of 'non-dispersive' type 24
    4.2.2. Characteristics of 'rising-tone' types 29
    4.2.3. Characteristics of the 'falling-tone' type of QP emissions 30
    4.2.4. Characteristics of the 'mixed type' of QP emissions 30
    4.2.5. Characteristics of the 'burst type' of QP emissions 33
  4.3. Spectral structure at the onset time of a QP 33
5. Occurrence of QP Emissions Associated with Worldwide Geomagnetic Variations 36
  5.1. Relationship between Type 1 QPs and worldwide geomagnetic variations 36
  5.2. Relationship between Type 2 QPs and worldwide geomagnetic variations 39
  5.3. SSC or SI triggered ELF-VLF emissions 40
6. Arrival Direction of ELF-VLF Chorus and QP Emissions 44
  6.1. Arrival direction of ELF-VLF waves in individual examples 44
    6.1.1. An example on December 31, 1974 45

    - 6.1.2. An example on December 29, 1974 46
    - 6.1.3. An example on January 23, 1975 46
    - 6.1.4. An example on January 28, 1975 47
  - 6.2. Statistical distribution of arrival direction 48
  - 6.3. Arrival direction of QP emissions 50
    - 6.3.1. The statistical arrival direction of Type 1 QP emissions 50
    - 6.3.2. Direction of arrival of QP elements 52
- 7. Coordinated Observations of ELF-VLF Emissions at Two Separated Stations and at the Geomagnetic Conjugate-Pair Stations 56
  - 7.1. Distribution in intensity of ELF-VLF emissions simultaneously observed at Syowa and Mizuho Stations 56
    - 7.1.1. October 21, 1977 event 57
    - 7.1.2. Relationship between relative intensity at the two stations and arrival directions 58
    - 7.1.3. QP emissions 61
  - 7.2. Geomagnetic conjugacy of ELF-VLF emissions observed at Syowa Station, Antarctica and Husafell, Iceland 61
    - 7.2.1. Conjugacy of QP emissions seen on the band-limited intensity records 62
    - 7.2.2. Comparison of frequency-time spectra 64
    - 7.2.3. Conjugacy of the auroral chorus 66
    - 7.2.4. Conjugacy of the auroral hiss 69
- 8. Relationships between QP Emissions and Magnetic Pulsations 71
  - 8.1. Comparison of dynamic spectra for intensities of QP emissions and magnetic pulsations 71
    - 8.1.1. Dynamic spectra for intensities of QP emissions and magnetic pulsations 71
    - 8.1.2. Dynamic spectra of Type 2 QP emissions 72
  - 8.2. Correlation between Type 1 QP emissions and Pc 3–4 magnetic pulsations 75
    - 8.2.1. Power spectrum and coherency 75
    - 8.2.2. Phase differences between QP emissions and magnetic pulsations 80
  - 8.3. QP emissions associated with short period ($T\sim 3$–10 s) magnetic pulsations 85
  - 8.4. Spectral characteristics of magnetic variations during Type 2 QP events 88
  - 8.5. Geomagnetic conjugacy of QP emissions and magnetic pulsations 92
    - 8.5.1. Geomagnetic conjugacy of Type 1 QP emissions 92
    - 8.5.2. Geomagnetic conjugacy of Type 2 QP emissions 96
- 9. Discussion 100

9.1. Generation region and modulation mechanism of Type 1 QP emissions 100
9.2. Generation region and modulation mechanism of Type 2 QP emissions 103
9.3. Models of spectral form for QP emissions 106
9.3.1. Model of 'rising-tone' and 'falling-tone' emissions 106
9.3.2. Model of 'non-dispersive' type QP emissions 108
10. Conclusions and Future Research 111
10.1. Summary and conclusions 111
10.1.1. Type 1 QP emissions 111
10.1.2. Type 2 QP emissions 112
10.2. Suggestions for future research 114
Acknowledgments 115
References 116